



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

D119-646-041
Job Sheet 174916



Part No: D119-646-041

Job Qty: 1 ea

Part Name: AW119 Replacement Skidtube with Wearpads - Fits LH or RH



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 3/23/18

Job Tracking No:

Due Date: 5/28/18

Created By: Michelle Gagnon-Donovan

Type: SOLD

Description:

Note: DWG IIN-D119-646 REV D, D3887-041 REV E SHEETS 1,2,5,7,8,10,11 IPP RevA: New issue DD verified by:EC IPP rev B 10.02.22 per PAR 09-043 EC verified by:DD IPP REVC 12.11.05 (DEOD3887-B-1)(ecn 12-675) DD verf:JLM IPP REV:D 13.03.20 per chg003 ECN13-534 DD verf:JLM IPP REV:E 17.05.19 as per dwg D3887 rev.e DD verf:JFS

Ship Via:

Bill of Materials



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S059849



Part: D119-646-041

Job No: 174916

Serial No/Batch: S059849

Revision:

Inspector:

Date: 04/11/18

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea		5/25/18	0.00	0.00	Start Up Skid tubes-1		J.Y
110	Skid tubes	1 pcs		5/25/18	0.00	0.25	Skid tubes-1		J.Y
120	HandFinish	1 pcs		5/25/18	0.00	0.83	HandFinish1		SA 18-04-17
121	QC	1 pcs		5/25/18	0.00	0.00	QC7-1		BE
122	QC	1 pcs		5/25/18	0.00	0.00	QC5		BE
130	Skid tubes	1 pcs		5/25/18	0.00	1.54	Skid tubes-1		DD
135	QC	1 pcs		5/25/18	0.00	0.00	QC5		BE
140	Skid tubes	1 pcs		5/25/18	0.00	1.47	Skid tubes-1		J.Y
150	QC	1 pcs		5/25/18	0.00	0.00	QC5		BE
160	Skid tubes	1 pcs		5/26/18	0.00	1.61	Skid tubes-1		BE DD
170	QC	1 pcs		5/26/18	0.00	0.00	QC5		EB
180	QC	1 pcs		5/26/18	0.00	0.00	QC10		EB
190	HandFinish	1 pcs		5/26/18	0.00	0.83	HandFinish2		BE 18-05-29
200	Powdercoat	1 pcs		5/26/18	0.00	0.22	Powdercoat1		BE 18-05-29
210	QC	1 pcs		5/26/18	0.00	0.00	QC3		BE 18-06-04
220	HandFinish	1 pcs		5/26/18	0.00	3.83	HandFinish4		BE 18-06-04
240	HandFinish	1 pcs		5/28/18	0.00	2.00	HandFinish4		DAS
245	QC	1 pcs		5/28/18	0.00	0.00	QC5		38
255	DC	1 pcs		5/28/18	0.00	0.00	DC		JUN 06 2018
260	Packaging	1 pcs		5/28/18	0.00	0.00	Packaging3-1		JUN 06 2018
270	QC21-FG	1 Ea		5/28/18	0.00	0.00	QC21		21

Part Op 110 - 1- inspect Mat'L D2500-1-190 for damage 2-Cut tube to length as per dwg D3887 (154.8") 3- Ensure squareness of Descriptions: ends and scribe batch#

130 - 1- Install drill Jig DT9477 drill X-bolt spacer pilot holes using 3/16" drill first side only. 2- 2nd side, locating from first saddle holes use DT9861 A/B to drill 2nd side fwd saddle holes. 3- 2nd side locating from fwd saddle drill remaining crossbolt spacer holes using DT9477 4- Open crossbolt spacer holes to finished size as per dwg D3887 (section D-D and E-E) ***DO NOT OPEN FWD Saddle Holes*** 5- Deburr, blow out chips from inside of tube. 6- Bond web in place as per Dwg D3887 & QSI 015. A/R

140 - 1- Bend FWD end of tube using bender 1 and FOLIO 31 bend prog. D3887.***Must use bending aid DT9544, ensure proper positioning*** 2- Cut FWD end of tube as per dwg D3887.***Verify measurement*** 3- Buff out marks left from bending 4- Drill FWD cap holes using DT8215. Open FWD & AFT cap holes to 0.208" 5- Open FWD saddle holes to finished size as per dwg D3887 6- Drill FWD x-bolt spacer holes using DT9816 and open to finished size.(verify measurement) 7- Drill Tow ring hole, using DT10047 locate from FWD saddle hole. (verify measurement). Open to finished size. 8- Drill 1.87" and 3.74 holes using DT10045 A&B locate from FWD saddle hole. (verify measurement) as per dwg. 9- C'sink FWD cap hole as per detail "C" 10- Drill holes for wearpads using DT8931, open to 0.297". 11- Countersink crossbolt spacer holes, and prepare tube for welding, deburr. 12- Deburr and blow out chips from inside of tube.

160 - NOTE:TACK IN 2 MOST FWD X-BOLT SPACERS AND TEST FIT FWD GROUND HANDLING FIXTURE,IF FIXTURE FITS WELL THEN PROCEED. FIXTURE DT10091. 1-Insert crossbolt spacers. Weld as per QSI 004 and Dwg D3887. Remember to back drill each hole before welding the other side. Use aluminum rod A/R 2-Grind cross bolt welds flush as per Dwg D3887. Ensure no pin hole. 3-Counterbore 5/16" x 0.750" deep as per Dwg D3887. 4- Deburr & Scribe batch # on Aft end of tube.

170 - TEST FIT USING FIXTURE DT10091.

190 - Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch.

200 - ***MASK AREA SHOWN ON SHEET 7, NOTE 9*** START TIME: 7:05 OVEN TEMPERATURE:

FINISH TIME: 8:05

220 - 1-Install inserts as per Dwg D3887.

240 - 1-Install inserts as per Dwg D3887. 2-Install wearpads, gaskets as per Dwg D3887. Put sikaflex in insert before installing bolts and washers A/R Sikaflex-240/-291 Sikaflex expire date: 18/12 3-assemble o'ring to plug as per dwg D3492 and apply o'ring lube A/R 55-o'ring lube batch: M138843 4 -Inspect for foreign objects as per QSI 024 5 -Install D2855-3 Cap and seal with Sikaflex. Clean excess adhesive. A/R Sikaflex-240/-291 M138787 Sikaflex expire date: 18/12 6 -Install insert in D2855- Cap. Install cap and seal with Sikaflex. Clean excess adhesive. A/R Sikaflex-240/-291 M138787 Sikaflex expire date: 18/12. 7- Wing Walk as per dwg and QSI Batch: M138851

255 - Photocopy bluefile & type labels per PPP D119-646-041 CHG004

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D2500-1-190	Ext'n -1' Beam Tube 4"	1 Ea (1 ea)	90-Start up Operation	5027162
D2579	Crossbolt Spacer	2 Ea (2 ea)	140-Skidtubes	5040524
D3885-1	Standard Web	1 Ea (1 ea)	140-Skidtubes	5161481
D2855-5	Cap	1 Ea (1 ea)	160-Skidtubes	5066884
D3681-1	Spacer	12 Ea (12 ea)	160-Skidtubes	5022530
D3903-1	Spacer	12 Ea (12 ea)	160-Skidtubes	5062336
ALS4-1032-130	Rivnut	33 Ea (33 ea)	240-HandFinish	5008959
ALS4-1032-225	Rivnut	1 Ea (1 ea)	240-HandFinish	5058138
AN3C4A	Bolt	6 Ea (6 ea)	240-HandFinish	5041114
AN3C5A	Bolt	26 Ea (26 ea)	240-HandFinish	5057153
D2855-3	Cap	1 Ea (1 ea)	240-HandFinish	5066002
D3492-5	Plug	24 Ea (24 ea)	240-HandFinish	5060337
D3672-1	Washer, Phenolic	2 Ea (2 ea)	240-HandFinish	5150074
D3847-1	Wearpad	5 Ea (5 ea)	240-HandFinish	5057444
D3847-11	Wearpad	1 Ea (1 ea)	240-HandFinish	5026852
MS24694-C52	Screw	2 Ea (2 ea)	240-HandFinish	51137951
NAS1149C0332R	Washer	32 Ea (32 ea)	240-HandFinish	5056493
NAS1611-005	O-Ring	24 Ea (24 ea)	240-HandFinish	5034466

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	D2500-1-190	1	85	0
140-Skidtubes	D2579	2	89	0
	D3885-1	1	16	0
160-Skidtubes	D2855-5	1	94	0
	D3681-1	12	248	0
	D3903-1	12	37	0
240-HandFinish	ALS4-1032-130	33	7,007	0
	ALS4-1032-225	1	1,148	0
	AN3C4A	6	2,521	0
	AN3C5A	26	189	0
	D2855-3	1	9	0
	D3492-5	24	26	0
	D3672-1	2	1,071	0
	D3847-1	5	28	0
	D3847-11	1	19	0
	MS24694-C52	2	61	0
	NAS1149C0332R	32	4,896	0
	NAS1611-005	24	235	0


Part Specifications

Specifications could not be found.

Plex 3/23/18 9:17 AM Dart.Gagnon.Michelle

003650

8 7 6 5 4 3 2 1



D3887-041 STANDARD SKIDTUBE ASSY WITH WEARPAD(SHOWN)
D3887-043 STANDARD SKIDTUBE ASSY WITH WEARPLATE (SIMILAR)
D3887-045 STANDARD SKIDTUBE ASSY WITH TRAINING WEARPLATE (SIMILAR)

SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT



WITHOUT NOTICE
 WORK ORDER

NO. 174916

MAR 27 2018

E	COMPLETE REDRAW, ADDED ASSY DETAILS -3, -051 & -053, SEE PREVIOUS REV. FOR DETAIL. POWDER COAT REMOVED FROM SADDLE AREA SEE DETAIL F. REF PAR15-421. ADDED STRUCTURAL PROVISIONS TO ALLOW FOR THE INSTALLATION OF THE D118-848-313/314 SKIDTUBE PROTECTOR KIT. REF PART 15-7. CHANGE QTY OF D2855-5 CAP ASSEMBLIES, ADDED INSTRUCTIONS TO LOCATE INSERT HOLE FOR D2855-5 CAP. REF PAR17-583	AJS / WK	17.02.03
D	REVISED BEND TOLERANCES FOR MANUFACTURABILITY, 135.07 WAS 134.04 (ZN D5-8), ADD 5.07 (ZN C2-8), ADD 116.8 (ZN D5-8), DELETE GASKETS (BOM, SH 2)	DB	13.09.20
C	(SHT1, P/L ZN C2-2, C3-2, C4-2) ITEM 13, QTY 2 WAS 4, ITEM 42, QTY 32 WAS 34, ITEM 44, QTY 30 WAS 32, ADD ITEM 48, MS24694-C52 WAS AN3C5A, 2 PLCS (ZN C1-5, C1-6, B4-7) Ø0.201 CSK Ø0.385 X 100 WAS Ø0.214 THRU, ADDED DETAIL F (ZN C8-8, C8-9, B8-7), ADD ITEM 10, D2579 CROSS BOLT SPACER (ZN D4-1, A6-7)	DB	13.02.19
B	ALS4-1032-130 WAS AELS-1032-130 (ZN C4-1, C5-7, C3-7); ADD DT8931 (ZN A8-1); ADD 134.04 (ZN C4-8); D2855-3 WAS D2575 (ZN D4-1, C2-2, C2-3, C2-4, C2-5, C2-6, C2-7, C2-8, C2-9, C2-10, C2-11, C2-12, C2-13, C2-14, C2-15, C2-16, C2-17, C2-18, C2-19, C2-20, C2-21, C2-22, C2-23, C2-24, C2-25, C2-26, C2-27, C2-28, C2-29, C2-30, C2-31, C2-32, C2-33, C2-34, C2-35, C2-36, C2-37, C2-38, C2-39, C2-40, C2-41, C2-42, C2-43, C2-44, C2-45, C2-46, C2-47, C2-48, C2-49, C2-50, C2-51, C2-52, C2-53, C2-54, C2-55, C2-56, C2-57, C2-58, C2-59, C2-60, C2-61, C2-62, C2-63, C2-64, C2-65, C2-66, C2-67, C2-68, C2-69, C2-70, C2-71, C2-72, C2-73, C2-74, C2-75, C2-76, C2-77, C2-78, C2-79, C2-80, C2-81, C2-82, C2-83, C2-84, C2-85, C2-86, C2-87, C2-88, C2-89, C2-90, C2-91, C2-92, C2-93, C2-94, C2-95, C2-96, C2-97, C2-98, C2-99, C2-100, C2-101, C2-102, C2-103, C2-104, C2-105, C2-106, C2-107, C2-108, C2-109, C2-110, C2-111, C2-112, C2-113, C2-114, C2-115, C2-116, C2-117, C2-118, C2-119, C2-120, C2-121, C2-122, C2-123, C2-124, C2-125, C2-126, C2-127, C2-128, C2-129, C2-130, C2-131, C2-132, C2-133, C2-134, C2-135, C2-136, C2-137, C2-138, C2-139, C2-140, C2-141, C2-142, C2-143, C2-144, C2-145, C2-146, C2-147, C2-148, C2-149, C2-150, C2-151, C2-152, C2-153, C2-154, C2-155, C2-156, C2-157, C2-158, C2-159, C2-160, C2-161, C2-162, C2-163, C2-164, C2-165, C2-166, C2-167, C2-168, C2-169, C2-170, C2-171, C2-172, C2-173, C2-174, C2-175, C2-176, C2-177, C2-178, C2-179, C2-180, C2-181, C2-182, C2-183, C2-184, C2-185, C2-186, C2-187, C2-188, C2-189, C2-190, C2-191, C2-192, C2-193, C2-194, C2-195, C2-196, C2-197, C2-198, C2-199, C2-200, C2-201, C2-202, C2-203, C2-204, C2-205, C2-206, C2-207, C2-208, C2-209, C2-210, C2-211, C2-212, C2-213, C2-214, C2-215, C2-216, C2-217, C2-218, C2-219, C2-220, C2-221, C2-222, C2-223, C2-224, C2-225, C2-226, C2-227, C2-228, C2-229, C2-230, C2-231, C2-232, C2-233, C2-234, C2-235, C2-236, C2-237, C2-238, C2-239, C2-240, C2-241, C2-242, C2-243, C2-244, C2-245, C2-246, C2-247, C2-248, C2-249, C2-250, C2-251, C2-252, C2-253, C2-254, C2-255, C2-256, C2-257, C2-258, C2-259, C2-260, C2-261, C2-262, C2-263, C2-264, C2-265, C2-266, C2-267, C2-268, C2-269, C2-270, C2-271, C2-272, C2-273, C2-274, C2-275, C2-276, C2-277, C2-278, C2-279, C2-280, C2-281, C2-282, C2-283, C2-284, C2-285, C2-286, C2-287, C2-288, C2-289, C2-290, C2-291, C2-292, C2-293, C2-294, C2-295, C2-296, C2-297, C2-298, C2-299, C2-300, C2-301, C2-302, C2-303, C2-304, C2-305, C2-306, C2-307, C2-308, C2-309, C2-310, C2-311, C2-312, C2-313, C2-314, C2-315, C2-316, C2-317, C2-318, C2-319, C2-320, C2-321, C2-322, C2-323, C2-324, C2-325, C2-326, C2-327, C2-328, C2-329, C2-330, C2-331, C2-332, C2-333, C2-334, C2-335, C2-336, C2-337, C2-338, C2-339, C2-340, C2-341, C2-342, C2-343, C2-344, C2-345, C2-346, C2-347, C2-348, C2-349, C2-350, C2-351, C2-352, C2-353, C2-354, C2-355, C2-356, C2-357, C2-358, C2-359, C2-360, C2-361, C2-362, C2-363, C2-364, C2-365, C2-366, C2-367, C2-368, C2-369, C2-370, C2-371, C2-372, C2-373, C2-374, C2-375, C2-376, C2-377, C2-378, C2-379, C2-380, C2-381, C2-382, C2-383, C2-384, C2-385, C2-386, C2-387, C2-388, C2-389, C2-390, C2-391, C2-392, C2-393, C2-394, C2-395, C2-396, C2-397, C2-398, C2-399, C2-400, C2-401, C2-402, C2-403, C2-404, C2-405, C2-406, C2-407, C2-408, C2-409, C2-410, C2-411, C2-412, C2-413, C2-414, C2-415, C2-416, C2-417, C2-418, C2-419, C2-420, C2-421, C2-422, C2-423, C2-424, C2-425, C2-426, C2-427, C2-428, C2-429, C2-430, C2-431, C2-432, C2-433, C2-434, C2-435, C2-436, C2-437, C2-438, C2-439, C2-440, C2-441, C2-442, C2-443, C2-444, C2-445, C2-446, C2-447, C2-448, C2-449, C2-450, C2-451, C2-452, C2-453, C2-454, C2-455, C2-456, C2-457, C2-458, C2-459, C2-460, C2-461, C2-462, C2-463, C2-464, C2-465, C2-466, C2-467, C2-468, C2-469, C2-470, C2-471, C2-472, C2-473, C2-474, C2-475, C2-476, C2-477, C2-478, C2-479, C2-480, C2-481, C2-482, C2-483, C2-484, C2-485, C2-486, C2-487, C2-488, C2-489, C2-490, C2-491, C2-492, C2-493, C2-494, C2-495, C2-496, C2-497, C2-498, C2-499, C2-500, C2-501, C2-502, C2-503, C2-504, C2-505, C2-506, C2-507, C2-508, C2-509, C2-510, C2-511, C2-512, C2-513, C2-514, C2-515, C2-516, C2-517, C2-518, C2-519, C2-520, C2-521, C2-522, C2-523, C2-524, C2-525, C2-526, C2-527, C2-528, C2-529, C2-530, C2-531, C2-532, C2-533, C2-534, C2-535, C2-536, C2-537, C2-538, C2-539, C2-540, C2-541, C2-542, C2-543, C2-544, C2-545, C2-546, C2-547, C2-548, C2-549, C2-550, C2-551, C2-552, C2-553, C2-554, C2-555, C2-556, C2-557, C2-558, C2-559, C2-560, C2-561, C2-562, C2-563, C2-564, C2-565, C2-566, C2-567, C2-568, C2-569, C2-570, C2-571, C2-572, C2-573, C2-574, C2-575, C2-576, C2-577, C2-578, C2-579, C2-580, C2-581, C2-582, C2-583, C2-584, C2-585, C2-586, C2-587, C2-588, C2-589, C2-590, C2-591, C2-592, C2-593, C2-594, C2-595, C2-596, C2-597, C2-598, C2-599, C2-600, C2-601, C2-602, C2-603, C2-604, C2-605, C2-606, C2-607, C2-608, C2-609, C2-610, C2-611, C2-612, C2-613, C2-614, C2-615, C2-616, C2-617, C2-618, C2-619, C2-620, C2-621, C2-622, C2-623, C2-624, C2-625, C2-626, C2-627, C2-628, C2-629, C2-630, C2-631, C2-632, C2-633, C2-634, C2-635, C2-636, C2-637, C2-638, C2-639, C2-640, C2-641, C2-642, C2-643, C2-644, C2-645, C2-646, C2-647, C2-648, C2-649, C2-650, C2-651, C2-652, C2-653, C2-654, C2-655, C2-656, C2-657, C2-658, C2-659, C2-660, C2-661, C2-662, C2-663, C2-664, C2-665, C2-666, C2-667, C2-668, C2-669, C2-670, C2-671, C2-672, C2-673, C2-674, C2-675, C2-676, C2-677, C2-678, C2-679, C2-680, C2-681, C2-682, C2-683, C2-684, C2-685, C2-686, C2-687, C2-688, C2-689, C2-690, C2-691, C2-692, C2-693, C2-694, C2-695, C2-696, C2-697, C2-698, C2-699, C2-700, C2-701, C2-702, C2-703, C2-704, C2-705, C2-706, C2-707, C2-708, C2-709, C2-710, C2-711, C2-712, C2-713, C2-714, C2-715, C2-716, C2-717, C2-718, C2-719, C2-720, C2-721, C2-722, C2-723, C2-724, C2-725, C2-726, C2-727, C2-728, C2-729, C2-730, C2-731, C2-732, C2-733, C2-734, C2-735, C2-736, C2-737, C2-738, C2-739, C2-740, C2-741, C2-742, C2-743, C2-744, C2-745, C2-746, C2-747, C2-748, C2-749, C2-750, C2-751, C2-752, C2-753, C2-754, C2-755, C2-756, C2-757, C2-758, C2-759, C2-760, C2-761, C2-762, C2-763, C2-764, C2-765, C2-766, C2-767, C2-768, C2-769, C2-770, C2-771, C2-772, C2-773, C2-774, C2-775, C2-776, C2-777, C2-778, C2-779, C2-780, C2-781, C2-782, C2-783, C2-784, C2-785, C2-786, C2-787, C2-788, C2-789, C2-790, C2-791, C2-792, C2-793, C2-794, C2-795, C2-796, C2-797, C2-798, C2-799, C2-800, C2-801, C2-802, C2-803, C2-804, C2-805, C2-806, C2-807, C2-808, C2-809, C2-810, C2-811, C2-812, C2-813, C2-814, C2-815, C2-816, C2-817, C2-818, C2-819, C2-820, C2-821, C2-822, C2-823, C2-824, C2-825, C2-826, C2-827, C2-828, C2-829, C2-830, C2-831, C2-832, C2-833, C2-834, C2-835, C2-836, C2-837, C2-838, C2-839, C2-840, C2-841, C2-842, C2-843, C2-844, C2-845, C2-846, C2-847, C2-848, C2-849, C2-850, C2-851, C2-852, C2-853, C2-854, C2-855, C2-856, C2-857, C2-858, C2-859, C2-860, C2-861, C2-862, C2-863, C2-864, C2-865, C2-866, C2-867, C2-868, C2-869, C2-870, C2-871, C2-872, C2-873, C2-874, C2-875, C2-876, C2-877, C2-878, C2-879, C2-880, C2-881, C2-882, C2-883, C2-884, C2-885, C2-886, C2-887, C2-888, C2-889, C2-890, C2-891, C2-892, C2-893, C2-894, C2-895, C2-896, C2-897, C2-898, C2-899, C2-900, C2-901, C2-902, C2-903, C2-904, C2-905, C2-906, C2-907, C2-908, C2-909, C2-910, C2-911, C2-912, C2-913, C2-914, C2-915, C2-916, C2-917, C2-918, C2-919, C2-920, C2-921, C2-922, C2-923, C2-924, C2-925, C2-926, C2-927, C2-928, C2-929, C2-930, C2-931, C2-932, C2-933, C2-934, C2-935, C2-936, C2-937, C2-938, C2-939, C2-940, C2-941, C2-942, C2-943, C2-944, C2-945, C2-946, C2-947, C2-948, C2-949, C2-950, C2-951, C2-952, C2-953, C2-954, C2-955, C2-956, C2-957, C2-958, C2-959, C2-960, C2-961, C2-962, C2-963, C2-964, C2-965, C2-966, C2-967, C2-968, C2-969, C2-970, C2-971, C2-972, C2-973, C2-974, C2-975, C2-976, C2-977, C2-978, C2-979, C2-980, C2-981, C2-982, C2-983, C2-984, C2-985, C2-986, C2-987, C2-988, C2-989, C2-990, C2-991, C2-992, C2-993, C2-994, C2-995, C2-996, C2-997, C2-998, C2-999, C2-1000, C2-1001, C2-1002, C2-1003, C2-1004, C2-1005, C2-1006, C2-1007, C2-1008, C2-1009, C2-1010, C2-1011, C2-1012, C2-1013, C2-1014, C2-1015, C2-1016, C2-1017, C2-1018, C2-1019, C2-1020, C2-1021, C2-1022, C2-1023, C2-1024, C2-1025, C2-1026, C2-1027, C2-1028, C2-1029, C2-1030, C2-1031, C2-1032, C2-1033, C2-1034, C2-1035, C2-1036, C2-1037, C2-1038, C2-1039, C2-1040, C2-1041, C2-1042, C2-1043, C2-1044, C2-1045, C2-1046, C2-1047, C2-1048, C2-1049, C2-1050, C2-1051, C2-1052, C2-1053, C2-1054, C2-1055, C2-1056, C2-1057, C2-1058, C2-1059, C2-1060, C2-1061, C2-1062, C2-1063, C2-1064, C2-1065, C2-1066, C2-1067, C2-1068, C2-1069, C2-1070, C2-1071, C2-1072, C2-1073, C2-1074, C2-1075, C2-1076, C2-1077, C2-1078, C2-1079, C2-1080, C2-1081, C2-1082, C2-1083, C2-1084, C2-1085, C2-1086, C2-1087, C2-1088, C2-1089, C2-1090, C2-1091, C2-1092, C2-1093, C2-1094, C2-1095, C2-1096, C2-1097, C2-1098, C2-1099, C2-1100, C2-1101, C2-1102, C2-1103, C2-1104, C2-1105, C2-1106, C2-1107, C2-1108, C2-1109, C2-1110, C2-1111, C2-1112, C2-1113, C2-1114, C2-1115, C2-1116, C2-1117, C2-1118, C2-1119, C2-1120, C2-1121, C2-1122, C2-1123, C2-1124, C2-1125, C2-1126, C2-1127, C2-1128, C2-1129, C2-1130, C2-1131, C2-1132, C2-1133, C2-1134, C2-1135, C2-1136, C2-1137, C2-1138, C2-1139, C2-1140, C2-1141, C2-1142, C2-1143, C2-1144, C2-1145, C2-1146, C2-1147, C2-1148, C2-1149, C2-1150, C2-1151, C2-1152, C2-1153, C2-1154, C2-1155, C2-1156, C2-1157, C2-1158, C2-1159, C2-1160, C2-1161, C2-1162, C2-1163, C2-1164, C2-1165, C2-1166, C2-1167, C2-1168, C2-1169, C2-1170, C2-1171, C2-1172, C2-1173, C2-1174, C2-1175, C2-1176, C2-1177, C2-1178, C2-1179, C2-1180, C2-1181, C2-1182, C2-1183, C2-1184, C2-1185, C2-1186, C2-1187, C2-1188, C2-1189, C2-1190, C2-1191, C2-1192, C2-1193, C2-1194, C2-1195, C2-1196, C2-1197, C2-1198, C2-1199, C2-1200, C2-1201, C2-1202, C2-1203, C2-1204, C2-1205, C2-1206, C2-1207, C2-1208, C2-1209, C2-1210, C2-1211, C2-1212, C2-1213, C2-1214, C2-1215, C2-1216, C2-1217, C2-1218, C2-1219, C2-1220, C2-1221, C2-1222, C2-1223, C2-1224, C2-1225, C2-1226, C2-1227, C2-1228, C2-1229, C2-1230, C2-1231, C2-1232, C2-1233, C2-1234, C2-1235, C2-1236, C2-1237, C2-1238, C2-1239, C2-1240, C2-1241, C2-1242, C2-1243, C2-1244, C2-1245, C2-1246, C2-1247, C2-1248, C2-1249, C2-1250, C2-1251, C2-1252, C2-1253, C2-1254, C2-1255, C2-1256, C2-1257, C2-1258, C2-1259, C2-1260, C2-1261, C2-1262, C2-1263, C2-1264, C2-1265, C2-1266, C2-1267, C2-1268, C2-1269, C2-1270, C2-1271, C2-1272, C2-1273, C2-1274, C2-1275, C2-1276, C2-1277, C2-1278, C2-1279, C2-1280, C2-1281, C2-1282, C2-1283, C2-1284, C2-1285, C2-1286, C2-1287, C2-1288, C2-1289, C2-1290, C2-1291, C2-1292, C2-1293, C2-1294, C2-1295, C2-1296, C2-1297, C2-1298, C2-1299, C2-1300, C2-1301, C2-1302, C2-1303, C2-1304, C2-1305, C2-1306, C2-1307, C2-1308, C2-1309, C2-1310, C2-1311, C2-1312, C2-1313, C2-1314, C2-1315, C2-1316, C2-1317, C2-1318, C2-1319, C2-1320, C2-1321, C2-1322, C2-1323, C2-1324, C2-1325, C2-1326, C2-1327, C2-1328, C2-1329, C2-1330, C2-1331, C2-1332, C2-1333, C2-1334, C2-1335, C2-1336, C2-1337, C2-1338, C2-1339, C2-1340, C2-1341, C2-1342, C2-1343, C2-1344, C2-1345, C2-1346, C2-1347, C2-1348, C2-1349, C2-1350, C2-1351, C2-1352, C2-1353, C2-1354, C2-1355, C2-1356, C2-1357, C2-1358, C2-1359, C2-1360, C2-1361, C2-1362, C2-1363, C2-1364, C2-1365, C2-1366, C2-1367, C2-1368, C2-1369, C2-1370, C2-1371, C2-1372, C2-1373, C2-1374, C2-1375, C2-1376, C2-1377, C2-1378, C2-1379, C2-1380, C2-1381, C2-1382, C2-1383, C2-1384, C2-1385, C2-1386, C2-1387, C2-1388, C2-1389, C2-1390, C2-1391, C2-1392, C2-1393, C2-1394, C2-1395, C2-1396, C2-1397, C2-1398, C2-1399, C2-1400, C2-1401, C2-1402, C2-1403, C2-1404, C2-1405, C2-1406, C2-1407, C2-1408, C2-1409, C2-1410, C2-1411, C2-1412, C2-1413, C2-1414, C2-1415, C2-1416, C2-1417, C2-1418, C2-1419, C2-1420, C2-1421, C2-1422, C2-1423, C2-1424, C2-1425, C2-1426, C2-1427, C2-1428, C2-1429, C2-1430, C2-1431, C2-1432, C2-1433, C2-1434, C2-1435, C2-1436, C2-1437, C2-1438, C2-1439, C2-1440, C2-1441, C2-1442, C2-1443, C2-1444, C2-1445, C2-1446, C2-1447, C2-1448, C2-1449, C2-1450, C2-1451, C2-1452, C2-1453, C2-1454, C2-1455, C2-1456, C2-1457, C2-1458, C2-1459, C2-1460, C2-1461, C2-1462, C2-1463, C2-1464, C2-1465, C2-1466, C2-1467, C2-1468, C2-1469, C2-1470, C2-1471, C2-1472, C2-1473, C2-1474, C2-1475, C2-1476, C2-1477, C2-1478, C2-1479, C2-1480, C2-1481, C2-1482, C2-1483, C2-1484, C2-1485, C2-1486, C2-1487, C2-1488, C2-1489, C2-1490, C2-1491, C2-1492, C2-1493, C2-1494, C2-1495, C2-1496, C2-1497, C2-1498, C2-1499, C2-1500, C2-1501, C2-1502, C2-1503, C2-1504, C2-1505, C2-1506, C2-1507, C2-1508, C2-1509, C2-1510, C2-1511, C2-1512, C2-1513, C2-1514, C2-1515, C2-1516, C2-1517, C2-1518, C2-1519, C2-1520, C2-1521, C2-1522, C2-1523, C2-1524, C2-1525, C2-1526, C2-1527, C2-1528, C2-1529, C2-1530, C2-1531, C2-1532, C2-1533, C2-1534, C2-1535, C2-1536, C2-1537, C2-1538, C2-1539, C2-1540, C2-1541, C2-1542, C2-1543, C2-1544, C2-1545, C2-1546, C2-1547, C2-1548, C2-1549, C2-1550, C2-1551, C2-1552, C2-1553, C2-1554, C2-1555, C2-1556, C2-1557, C2-1558, C2-1559, C2-1560, C2-1561, C2-1562, C2-1563, C2-1564, C2-1565, C2-1566, C2-1567, C2-1568, C2-1569, C2-1570, C2-1571, C2-1572, C2-1573, C2-1574, C2-1575, C2-1576, C2-1577, C2-1578, C2-1579, C2-1580, C2-1581, C2-1582, C2-1583, C2-1584, C2-1585, C2-1586, C2-1587, C2-1588, C2-1589, C2-1590, C2-1591, C2-1592, C2-1		

ITEM	QTY	P/N	DESCRIPTION
	X	D3887-041	STANDARD SKIDTUBE ASSY WITH WEARPAD
1	1	D2855-3	CAP ASSY
2	1	D2855-5	CAP ASSY
3	24	D3492-045	PLUG ASSY
4	2	D3672-1	PHENOLIC WASHER
5	5	D3847-1	WEARPAD
6	1	D3847-11	WEARPAD
7	1	D3887-051	SKIDTUBE ASSY
8	1	ALS4-1032-225	INSERT
9	26	AN3C5A	BOLT
10	6	AN3C4A	BOLT
11	2	MS24694-C52	SCREW, CSK 100"
12	32	NAS1149C0332R	WASHER



NOTES:



- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3887-041" AND BATCH NUMBER PER QSI 044 6.4 ON THE ID OF THE TUBE, BEFORE INSTALLING THE AFT D2855-3 CAP
- 7) WEIGHT: 32.0 lbs
- 8) RELIEVE INNER RIDGE OF EXTRUSION, AS NEEDED, TO ALLOW FOR INSTALLATION OF D2855-3 AND D2855-5 CAP ASSY, ALODINE BARE MATERIAL
- 9) USE D3887-051 SKIDTUBE ASSY TO LOCATE AND BACKDRILL UNDRILLED INSERT HOLE INTO D2855-5 CAP. OPEN HOLE TO Ø0.297, ALODINE BARE MATERIAL AND INSTALL ALS4-1032-225 (OR AKS7-1032-225, OR ALS7-1032-225, OR AKS4-1032-225) INSERT ON INSIDE OF CAP.
- 10) SEAL FASTENERS WITH SIKAFLEX -241/291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
- 11) SEAL MATING SURFACES WITH SIKAFLEX -241/291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT

RELEASED
2017-05-08

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	DD	D3887	SHEET 2 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	A119 STD SKIDTUBE ASSY	NTS
DATE	17.02.03	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS UNCLASSIFIED AND CONTAINS NO INFORMATION THAT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

ITEM	QTY -043	P/N	DESCRIPTION
	X	D3887-043	STANDARD SKIDTUBE ASSY WITH WEARPLATE
1	1	D2855-3	CAP ASSY
2	1	D2855-5	CAP ASSY
3	24	D3492-045	PLUG ASSY
4	2	D3672-1	PHENOLIC WASHER
5	1	D3847-043	FWD WEARPLATE ASSY
6	1	D3847-045	CENTER WEARPLATE ASSY
7	1	D3847-047	AFT WEARPLATE ASSY
8	5	D3847-1	WEARPAD
9	1	D3847-11	WEARPAD
10	1	D3887-051	SKIDTUBE ASSY
11	1	ALS4-1032-225	INSERT
12	32	AN3C5A	BOLT
13	2	MS24694-C52	SCREW, CSK 100"
14	32	NAS1149C0332R	WASHER



NOTES:



- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3887-043" AND BATCH NUMBER PER QSI 044 6.4 ON THE ID OF THE TUBE, BEFORE INSTALLING THE AFT D2855-3 CAP
- 7) WEIGHT: 37.0 lbs
- 8) RELIEVE INNER RIDGE OF EXTRUSION, AS NEEDED, TO ALLOW FOR INSTALLATION OF D2855-3 AND D2855-5 CAP ASSY, ALODINE BARE MATERIAL
- 9) USE D3887-051 SKIDTUBE ASSY TO LOCATE AND BACKDRILL UNDRILLED INSERT HOLE INTO D2855-5 CAP. OPEN HOLE TO Ø0.297, ALODINE BARE MATERIAL AND INSTALL ALS4-1032-225 (OR AKS7-1032-225, OR ALS7-1032-225, OR AKS4-1032-225) INSERT ON INSIDE OF CAP.
- 10) SEAL FASTENERS WITH SIKAFLEX -241/291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
- 11) SEAL MATING SURFACES WITH SIKAFLEX -241/291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT

RELEASED
2017-05-08

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	DD	D3887	SHEET 3 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	A119 STD SKIDTUBE ASSY	NTS
DATE	17.02.03	COPYRIGHT © 2000 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

ITEM	QTY -045	P/N	DESCRIPTION
	X	D3887-045	STANDARD SKIDTUBE ASSY WITH TRAINING WEARPLATE
1	1	D2855-3	CAP ASSY
2	1	D2855-5	CAP ASSY
3	8	D3492-045	PLUG
4	2	D3672-1	PHENOLIC WASHER
5	1	D3849-041	FWD WEARPLATE ASSY, STD GEAR
6	1	D3849-043	AFT WEARPLATE ASSY, STD GEAR
7	1	D3887-053	SKIDTUBE ASSY
8	16	D3904-1	WASHER
9	1	ALS4-1032-225	INSERT
10	8	AN3C46A	BOLT
11	2	AN3C5A	BOLT
12	8	MS21043-3	NUT, SELF-LOCKING
13	2	MS24694-C52	SCREW, CSK 100*
14	2	NAS1149C0332R	WASHER



NOTES:
 1) MATERIAL: N/A
 2) FINISH: NONE
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: N/A
 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3887-045" AND BATCH NUMBER PER QSI 044 6.4 ON THE ID OF THE TUBE, BEFORE INSTALLING THE AFT D2855-3 CAP


7) WEIGHT: 38.1 lbs
 8) RELIEVE INNER RIDGE OF EXTRUSION, AS NEEDED, TO ALLOW FOR INSTALLATION OF D2855-3 AND D2855-5 CAP ASSY, ALODINE BARE MATERIAL
 9) USE D3887-053 SKIDTUBE ASSY TO LOCATE AND BACKDRILL UNDRILLED INSERT HOLE INTO D2855-5 CAP. OPEN HOLE TO Ø0.297, ALODINE BARE MATERIAL AND INSTALL ALS4-1032-225 (OR AKS7-1032-225, OR ALS7-1032-225, OR AKS4-1032-225) INSERT ON INSIDE OF CAP.
 10) SEAL FASTENERS WITH SIKAFLEX -241/291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT
 11) SEAL MATING SURFACES WITH SIKAFLEX -241/291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT

RELEASED
 2017-05-08

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	DD	D3887	SHEET 4 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	A119 STD SKIDTUBE ASSY	NTS
DATE	17.02.03	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

ITEM	QTY	P/N	DESCRIPTION
	X	D3887-051	SKIDTUBE ASSY
1	2	D2579	CROSS BOLT SPACER
2	12	D3681-1	CROSS BOLT SPACER
3	1	D3885-1	STANDARD WEB
4	1	D3887-11	SKIDTUBE
5	12	D3903-1	CROSS BOLT SPACER
6	30	ALS4-1032-130	INSERT




NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY AT NEXT ASSEMBLY
- 7) WEIGHT: N/A
- 8) AFTER APPLICATION OF FINISH, PAINT TOP SURFACE OF SKIDTUBE WITH MIL-W-5044 ANTI-SKID PAINT (WING WALK) AS INDICATED TO 0.50 ABOVE LOCATION RIDGE, PER QSI 005 SECTION 4.4

RELEASED
2017-05-08


APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	DD	D3887	SHEET 5 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	A119 STD SKIDTUBE ASSY	NTS
DATE	17.02.03	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	







DETAIL D
SCALE 2X
TYP



DETAIL F
SCALE 2X
TYP




SECTION G-G
SCALE 2X
TYP



SECTION E-E
SCALE 5X
TYP

(FOR 12X $\phi 0.375$ HOLES
PER SKIDTUBE)



SECTION J-J
SCALE 5X
TYP

(FOR 12X $\phi 0.313$ HOLES
PER SKIDTUBE)


NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT FINAL ASSEMBLY
- 7) WEIGHT: N/A
- 8) INSERT D3885-1 WEB TO LOCATION SHOWN OFF AFT END OF SKIDTUBE AND BOND WEB INTO OUTER TUBE WITH SIKAFLEX-241/-291 ADHESIVE PER DART QSI 015 AFTER BENDING. ENSURE HOLES LINE-UP
- 9) MASK THIS AREA AND DO NOT POWDER COAT
- 10) AFTER DRILLING AND BENDING ASSEMBLY, PERFORM THE FOLLOWING FOR THE SECTION E-E $\phi 0.375$ HOLES ONLY:
 - i) CHAMFER HOLES $\phi 0.475 \times 45^\circ$
 - ii) INSERT D3903-1 SPACER
 - iii) WELD INTO PLACE AND GRIND FLUSH
 - iv) C'BORE TO $\phi 0.313 \times 0.75$ DEEP
 - v) DEBURR HOLES
- 11) AFTER DRILLING AND BENDING ASSEMBLY, PERFORM THE FOLLOWING FOR THE SECTION J-J $\phi 0.313$ HOLES ONLY:
 - i) CHAMFER HOLES $\phi 0.354 \times 45^\circ$ OR 0.050 DEEP $\times 45^\circ$ (BOTH SIDES)
 - ii) INSERT D3681-1 SPACER
 - iii) WELD INTO PLACE AND GRIND FLUSH
 - iv) DEBURR HOLES
- 12) WELD PER DART QSI 004

RELEASED
2017-05-08



APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	DD	D3887	SHEET 7 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	A119 STD SKIDTUBE ASSY	NTS
DATE	17.02.03	COPYRIGHT © 2000 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRELIMINARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			





D3887-13 DRILLING DETAIL SKIDTUBE



NOTES:

- 1) MATERIAL: MAKE -13 FROM -1 BEND DETAIL
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT FINAL ASSEMBLY
- 7) WEIGHT: N/A

RELEASED
2017-05-08

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	DD	D3887	SHEET 9 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	A119 STD SKIDTUBE ASSY	NTS
DATE	17.02.03	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS UNCLASSIFIED AND IS RELEASED ON THE EXPIRATION DATE OF 12/1/2017. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

8 7 6 5 4 3 2 1

D

C

B


A

D

C

B

A



D3887-1 BEND DETAIL SKIDTUBE

NOTES:


- 1) MATERIAL: MAKE -1 BEND DETAIL FROM -3 PILOT HOLE DETAIL
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT FINAL ASSEMBLY
- 7) WEIGHT: N/A
- 8) DAMAGE TOLERANCE ON FWD BEND:
THERE SHOULD BE NO VISIBLE WRINKLES IN THE BEND FROM THE GROUND TO A HEIGHT OF 8.5 INCHES ABOVE THE GROUND. IT IS ACCEPTABLE TO POLISH OUT GOUGES UP TO 0.020" DEEP IN THE BENT PORTION OF THE TUBE. A MAXIMUM REDUCTION IN DIAMETER OF 0.150" IS ACCEPTABLE IN THE BENT PORTION OF THE TUBE.

RELEASED
2017-05-08
APPROVED


DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	DD	D3887	SHEET 10 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	A119 STD SKIDTUBE ASSY	NTS
DATE	17.02.03	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

8 7 6 5 4 3 2 1


8 7 6 5 4 3 2 1




D3887-3 PILOT HOLE DETAIL SKIDTUBE




DETAIL V
SCALE 4X
2 PL



DETAIL W
SCALE 4X



DETAIL X
SCALE 4X



DETAIL Y
SCALE 4X

NOTES:

- 1) MATERIAL: MAKE FROM D2500-1-190 EXTRUSION
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT FINAL ASSEMBLY
- 7) WEIGHT: N/A

RELEASED
2017-05-08

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR	
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.	DD	D3887	SHEET 11 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	A119 STD SKIDTUBE ASSY	NTS
DATE	17.02.03	COPYRIGHT © 2006 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

8 7 6 5 4 3 2 1